

Bibliography

- [1] C.J. Abul-Haj. *Elbow-Prosthesis Emulation: A Technique for the Quantitative Assessment of an Assistive Device*. PhD thesis, M.I.T. Department of Mechanical Engineering, June 1987.
- [2] T.E. Alberts and D.I. Soloway. Force Control of a Multi-Arm Robot System. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1490–1496, 1988.
- [3] C.H. An. *Trajectory and Force Control of a Direct Drive Arm*. PhD thesis, M.I.T. Department of Electrical Engineering and Computer Science, August 1986.
- [4] B.D.O. Anderson and S. Vongpanitlerd. *Network Analysis and Synthesis: A Modern Systems Theory Approach*. Prentice-Hall, Englewood Cliffs, New Jersey, 1973.
- [5] R.J. Anderson and M.W. Spong. Hybrid Impedance Control of Robotic Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1073–1080, 1987.
- [6] A.N. Andry, Jr. and R.C. Rosenberg. On the Dimension of State Space for Physical Systems. In *Proceedings of Joint Automation Control Conference*, San Francisco, CA, August 1980.
- [7] H. Asada and J.-J.E. Slotine. *Robot Analysis and Control*. John Wiley and Sons, New York, 1986.
- [8] M. Athans. *Lectures in Multivariable Control Systems, I and II*. MIT Department of Electrical Engineering and Computer Science, Cambridge, MA, 1986. Lecture notes.
- [9] C.G. Atkeson, C.M. An, and J.M. Hollerbach. Estimation of Inertial Parameters of Manipulator Loads and Links. In *International Symposium of Robotics Research*, pages 221–228, 1985.
- [10] J.S. Bendat and A.G. Piersol. *Random Data: Analysis and Measurement Procedures*. John Wiley and Sons, New York, 2 edition, 1986.

- [11] R. Bott and R.J. Duffin. Impedance Synthesis without Use of Transformers. *J. Appl. Phys.*, 20:816, August 1949.
- [12] R.W. Brockett. A Theorem on Positive Real Functions. *IEEE Trans. Circuit Theory (Correspondence)*, CT-11:301–302, June 1964.
- [13] O. Brune. Synthesis of a Finite Two-Terminal Network whose Driving-Point Impedance is a Prescribed Function of Frequency. *J. Math. Phy., MIT*, 10:131–236, August 1931.
- [14] J.E. Colgate. *The Design of a Dynamics Measuring Device*. Master's thesis, M.I.T. Department of Mechanical Engineering, January 1986.
- [15] E.G. Cravalho and J.L. Smith, Jr. *Engineering Thermodynamics*. Pitman Publishing, Marshfield, Massachusetts, 1981.
- [16] J. De Schutter. A Study of Active Compliant Motion Control Methods for Rigid Manipulators Based on a Generic Scheme. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1060–1065, 1987.
- [17] R.C. Dorf. *Modern Control Systems*. Addison-Wesley, Reading, Massachusetts, 1980.
- [18] S. Drake. *Using Compliance Instead of Sensory Feedback for High Speed Robot Assembly*. Technical Report CSDL-81-833, C. S. Draper Laboratory, 1981.
- [19] S.D. Eppinger and W.P. Seering. Modeling Robot Flexibility for Endpoint Force Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 165–170, 1988.
- [20] S.D. Eppinger and W.P. Seering. On Dynamic Models of Robot Force Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 29–34, 1986.
- [21] S.D. Eppinger and W.P. Seering. Understanding Bandwidth Limitations in Robot Force Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 904–909, 1987.
- [22] E.D. Fasse. *Stability Robustness of Impedance Controlled Manipulators Coupled to Passive Environments*. Master's thesis, M.I.T. Department of Mechanical Engineering, June 1987.
- [23] I.C. Fayé. *An Impedance Controlled Manipulandum for Human Movement Studies*. Master's thesis, M.I.T. Department of Mechanical Engineering, June 1986.
- [24] B.A. Francis. *A Course in H_∞ Control Theory. Lecture Notes in Control and Information Sciences*, Springer-Verlag, Berlin, 1987.

- [25] W.B. Gevarter. Basic Relations for Control of Flexible Vehicles. *AIAA Journal*, 8(4):666–672, April 1970.
- [26] A.A. Goldenberg. Force and Impedance Control of Robot Manipulators. In R. Shoureshi, K. Youcef-Youmi, and H. Kazerooni, editors, *Modeling and Control of Robotic Manipulators and Manufacturing Processes*, pages 161–168, ASME, 1987.
- [27] A.A. Goldenberg. Implementation of Force and Impedance Control in Robot Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1626–1632, 1988.
- [28] E.M. Greitzer. Surge and Rotating Stall in Axial Flow Compressors: Part I: Theoretical Compression System Model. *ASME J. of Engineering for Power*, 98:190–198, April 1976.
- [29] K.B. Haefner, P.K. Houpt, T.E. Baker, and M.E. Dausch. Real Time Robotic Position/Force Control for Deburring. In F.W. Paul and K. Youcef-Youmi, editors, *Robotics: Theory and Applications*, ASME, New York, 1986.
- [30] W.E. Hamilton, Jr. Globally Stable Compliant Motion Control for Robotic Assembly. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1179–1184, 1988.
- [31] S. Hayati. Hybrid Position/Force Control of Multi-Arm Cooperating Robots. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 82–89, 1986.
- [32] G. Hirzinger. Direct Digital Robot Control Using a Force-Torque Sensor. In *Proceedings of the IFAC Symposium on Real Time Digital Control Applications*, pages 243–255, 1983.
- [33] N. Hogan. Control Strategies for Complex Movements Derived from Physical Systems Theory. In H. Haken, editor, *Complex Systems—Operational Approaches in Neurobiology, Physics, and Computers*, pages 156–168, Springer-Verlag, New York, May 1985.
- [34] N. Hogan. Impedance Control: An Approach to Manipulation: Part III—Applications. *J. Dynamic Systems, Measurement, and Control*, 107:17–24, March 1985.
- [35] N. Hogan. Impedance Control: An Approach to Manipulation: Part II—Implementation. *J. Dynamic Systems, Measurement, and Control*, 107:8–16, March 1985.
- [36] N. Hogan. Impedance Control: An Approach to Manipulation: Part I—Theory. *J. Dynamic Systems, Measurement, and Control*, 107:1–7, March 1985.

- [37] N. Hogan. Modularity and Causality in Physical System Modelling. *J. Dynamic Systems, Measurement, and Control*, 109:384–391, December 1987.
- [38] N. Hogan. On the Stability of Manipulators Performing Contact Tasks. *IEEE Journal of Robotics and Automation*, 1988. in press.
- [39] N. Hogan. Some Computational Problems Simplified by Impedance Control. In *Proceedings of ASME Computers in Engineering*, page , 1984.
- [40] N. Hogan. Stable Execution of Contact Tasks Using Impedance Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, 1987.
- [41] N. Hogan. Tuning Muscle Stiffness can Simplify Control of Natural Movement. In V.C. Mow, editor, *1980 Advances in Bioengineering*, pages 279–282, ASME, New York, 1980.
- [42] N. Hogan, E. Bizzi, F.A. Mussa-Ivaldi, and T. Flash. Controlling Multijoint Motor Behavior. In K.B. Pandolf, editor, *Exercise and Sport Sciences Reviews*, pages 153–190, MacMillan Publishing Company, 1987.
- [43] S.C. Jacobsen, D.F. Knutti, R.T. Johnson, and H.H. Sears. Development of the Utah Artificial Arm. *IEEE Trans. on Biomedical Engineering*, BME-29(4):249–269, April 1982.
- [44] H. Kazerooni. *A Robust Design Method for Impedance Control of Constrained Dynamic Systems*. PhD thesis, M.I.T. Department of Mechanical Engineering, February 1985.
- [45] H. Kazerooni. Robust, Non-Linear Impedance Control for Robot Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 741–750, 1987.
- [46] H. Kazerooni. Stability Analysis of Two Cooperating Robot Manipulators. In R. Shoureshi, K. Youcef-Toumi, and H. Kazerooni, editors, *Modeling and Control of Robotic Manipulators and Manufacturing Processes*, pages 203–212, ASME, New York, 1987.
- [47] H. Kazerooni and P.K. Houpt. On the Loop Transfer Recovery. *International J. of Control*, 43(3), March 1986.
- [48] J.H. Keenan. *Thermodynamics*. John Wiley and Sons, New York, 1957.
- [49] O. Khatib. A Unified Approach for Motion and Force Control of Robot Manipulators: The Operational Space Formulation. *IEEE Journal of Robotics and Automation*, RA-3(1):43–53, February 1987.

- [50] O. Khatib and J. Burdick. Motion and Force Control of Robot Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1381–1386, 1986.
- [51] P.K. Khosla and T. Kanade. Parameter Identification of Robot Dynamics. In *Proceedings of the IEEE Conference on Decision and Control*, pages 1754–1760, 1985.
- [52] P.V. Kokotovic. Applications of Singular Perturbation Techniques to Control Problems. *SIAM Review*, 26(4):396–410, 1984.
- [53] E.S. Kuh and R.A. Rohrer. *Theory of Linear Active Networks*. Holden-Day, San Francisco, 1967.
- [54] H. Kwakernaak and R. Sivan. *Linear Optimal Control Systems*. Wiley-Interscience, New York, 1972.
- [55] D.A. Lawrence. Impedance Control Stability Properties in Common Implementations. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1185–1190, 1988.
- [56] N.A. Lehtomaki. *Practical Robustness Measures in Multivariable Control*. PhD thesis, MIT Department of Electrical Engineering and Computer Science, 1981.
- [57] R.W. Mann. Cybernetic Limb Prostheses. *Annals of Biomedical Engineering*, 9(1):1–43, 1981.
- [58] J.M. Mansfield. *The Design of a Lightweight Elbow Prosthesis Emulator*. Master's thesis, M.I.T. Department of Mechanical Engineering, May 1988.
- [59] M.T. Mason. Compliance and Force Control for Computer Controlled Manipulators. *IEEE Trans. on Systems, Man, and Cybernetics*, SMC-11(6):418–432, June 1981.
- [60] W.R. Murray. *Essential Factors in Modeling Modulation of Impedance About the Human Elbow*. PhD thesis, M.I.T. Department of Mechanical Engineering, June 1988.
- [61] K.S. Narendra and J.H. Taylor. *Frequency Domain Criteria for Absolute Stability*. Academic Press, New York, 1973.
- [62] R.E.A.C. Paley and N. Wiener. *Fourier Transforms in the Complex Domain*. American Mathematical Society, New York, 1934.
- [63] R.P. Paul. Problems and Research Issues Associated with the Hybrid Control of Force and Displacement. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1966–1971, 1987.

- [64] R.P. Paul and B. Shimano. Compliance and Control. In *Proceedings of the Joint Automatic Control Conference*, 1976.
- [65] H.M. Paynter. *Analysis and Design of Engineering Systems*. M.I.T. Press, Cambridge, Mass, 1961.
- [66] M. Raibert and J. Craig. Hybrid Position/Force Control of Manipulators. *J. Dynamic Systems, Measurement, and Control*, 102:126–133, June 1981.
- [67] R.K. Roberts, R.P. Paul, and B.M. Hillberry. The Effect of Wrist Force Sensor Stiffness on the Control of Robot Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 269–274, 1985.
- [68] R.C. Rosenberg and D.C. Karnopp. *Introduction to Physical Systems Dynamics*. McGraw-Hill, New York, 1983.
- [69] A. Sharon, N. Hogan, and D. Hardt. High Bandwidth Force Regulation and Inertia Reduction Using a Macro/Micro Manipulator System. In *Proceedings of the IEEE International Conference on Robotics and Automation*, 1988.
- [70] A. Sharon, N. Hogan, and D. Hardt. More Analysis and Experimentation on a Macro/Micro Manipulator System. In R. Shoureshi, K. Youcef-Youmi, and H. Kazerooni, editors, *Modeling and Control of Robotic Manipulators and Manufacturing Processes*, pages 417–422, ASME, 1987.
- [71] K.G. Shin and C. Lee. Compliant Control of Robotic Manipulators with Resolved Acceleration. In *Proceedings of the Twenty-Fourth Conference on Decision and Control*, pages 350–357, 1985.
- [72] J. Simon. Personal communication.
- [73] J.-J.E. Slotine and S.S. Sastry. Tracking Control of Nonlinear Systems Using Sliding Surfaces, with Applications to Robot Manipulators. *Int. J. Control*, 38(2):465–492, 1983.
- [74] M.W. Spong. Force Feedback Control of Flexible Joint Manipulators. In R. Shoureshi, K. Youcef-Toumi, and H. Kazerooni, editors, *Modeling and Control of Robotic Manipulators and Manufacturing Processes*, pages 177–184, ASME, 1987.
- [75] G. Stein. *Lectures in Multivariable Control Systems, II*. MIT Department of Electrical Engineering and Computer Science, Cambridge, MA, May 1988. Lecture notes.
- [76] T.M. Stepien, L.M. Sweet, M.C. Good, and M. Tomizuka. Control of Tool/Workpiece Contact Force with Application to Robotic Deburring. *IEEE Journal of Robotics and Automation*, RA-3(1):7–18, February 1987.

- [77] G. Strang. *Linear Algebra and its Applications*. Academic Press, New York, 1980.
- [78] M. Takegaki and S. Arimoto. A New Feedback Method for Dynamic Control of Manipulators. *J. Dynamic Systems, Measurement, and Control*, 103:119–125, June 1981.
- [79] A. Talbot. Some Theorems on Positive Functions. *IEEE Trans. Circuit Theory (Correspondence)*, CT-12:607–608, December 1965.
- [80] A. Talbot. Transformation of Positive Functions by Linear Operators. *IEEE Trans. Circuit Theory*, CT-19(5):460–465, September 1972.
- [81] T.J. Tarn, A.K. Bejczy, and X. Yun. Coordinated Control of Two Robot Arms. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 1193–1202, 1986.
- [82] S.W. Tilley, R.H. Cannon, Jr., and R. Kraft. End Point Force Control of a Very Flexible Manipulator with a Fast End Effector. In F.W. Paul and K. Youcef-Youmi, editors, *Robotics: Theory and Applications*, ASME, New York, 1986.
- [83] W.T. Townsend. *The Effect of Transmission Design on the Performance of Force Controlled Manipulators*. PhD thesis, M.I.T. Department of Mechanical Engineering, May 1988.
- [84] W.T. Townsend and J.K. Salisbury. The Effect of Coulomb Friction and Stiction on Force Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 883–889, 1987.
- [85] M.E. Van Valkenburg. *Introduction to Modern Network Synthesis*. John Wiley and Sons, New York, 1960.
- [86] M. Vidyasagar. *Nonlinear Systems Analysis*. Prentice-Hall, Englewood Cliffs, New Jersey, 1978.
- [87] L. Weinberg. *Network Analysis and Synthesis*. McGraw-Hill, New York, 1962.
- [88] D.E. Whitney. Force Feedback Control of Manipulator Fine Motions. In *Proceedings of the Joint Automatic Control Conference*, 1976.
- [89] D.E. Whitney. Historical Perspective and State of the Art in Robot Force Control. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 262–268, 1985.
- [90] J.C. Willems. Dissipative Dynamical Systems. Part 1: General Theory. *Arch. Rational Mech. Anal.*, 45(5):321–351, 1972.

- [91] J.C. Willems. Dissipative Dynamical Systems. Part 2: Linear Systems with Quadratic Supply Rates. *Arch. Rational Mech. Anal.*, 45(5):352–393, 1972.
- [92] J.J. Wlassich. *Nonlinear Force Feedback Impedance Control*. Master's thesis, M.I.T. Department of Mechanical Engineering, February 1986.
- [93] J.L. Wyatt, Jr., L.O. Chua, J.W. Gannett, I.C. Gökknar, and D.N. Green. Energy Concepts in the State-Space Theory of Nonlinear n-Ports: Part I—Passivity. *IEEE Trans. Circuits Syst.*, CAS-28(1):48–61, Jan 1981.
- [94] J.L. Wyatt, Jr. and D.L. Standley. Circuit Design Criteria for Stable Lateral Inhibition Neural Networks. In *Proceedings of IEEE International Symposium on Circuits and Systems*, pages 997–1000, Espoo, Finland, June 1988.
- [95] T. Yabuta, A.J. Chona, and G. Beni. On the Asymptotic Stability of the Hybrid Position/Force Control Scheme for Robot Manipulators. In *Proceedings of the IEEE International Conference on Robotics and Automation*, pages 338–343, 1988.
- [96] K. Youcef-Toumi and D. Li. Force Control of Direct Drive Manipulators for Surface Following. In *Proceedings of the IEEE International Conference on Robotics and Automation*, 1987.